



WB30XT

The powerful WB30XT is a 3" portable pump with a 28m head that delivers a maximum capacity of 1100 litres per minute.

INTRODUCTION

STRONG & POWERFUL

A one of the most impressive pumps in Honda's range, the WB30XT Volume Water Pump has been designed with the end user in mind, for whatever application you want to use it in.

Drawing on decades of engineering advancements, the Honda 4-Stroke GX160 engine that powers the WB30 ensures easy starting, easy usage, outstanding fuel economy, low emission and long-lasting durability.

With oil alert and rubber mounts, the full frame type provides stability and delivers smooth running with less vibration. The result is a reliable, long-lasting pump that will perform day in, day out.

1,100L/MIN

With capacity to deliver 1,100 litres per minute, this 3" Volume Water Pump has a maximum suction head of 8m and a maximum total head of 28m.

Like so many other Honda products, the WB20 starts first time, every time with Honda's famous one pull easy start system.

It runs on unleaded fuel, so you'll never have to mix oil and petrol again. The result? An environmentally-friendly pump with low emissions & fuel consumption.

UNCOMPROMISING PERFORMANCE

Honda Water Pumps offer a level of uncompromising performance to a wide variety of water transfer applications.

Designed for easy starting, priming and dependable service, used throughout the world for over 20 years, Honda water pumps have earned a reputation for unsurpassed reliability and performance.

These pumps are known for their durable construction, quality engines and easy portability; features that apply to all categories of Honda pumps.

WARRANTY

All Honda pumps come with an impressive 4 Year Domestic Warranty and 1 Year Commercial Warranty, giving you added peace of mind.

When combined with a network of over 400 authorised independent dealers around Australia, you've got some serious back-up with a Honda pump.

There's no question; if you're after a quality investment that won't let you down, the Honda WB30 is just the pump for you.

SPECS

SPECIFICATIONS

ENGINE	GX160
DISPLACEMENT (CC)	163cc
FUEL TYPE	Unleaded
FUEL TANK CAPACITY	3.6 litres
FUEL CONSUMPTION	1.4 l/hr
TOTAL HEAD	28m
SUCTION HEAD	8m
MAXIMUM PUMPING CAPACITY	1100 litres
SUCTION PORT DIAMETER	80mm
DISCHARGE PORT DIAMETER	80mm
MAXIMUM PUMPING CAPACITY	1,100 l/hr

SELF PRIMING TIME (AT 5M)	150 sec at 5m
PUMP TYPE	Centrifugal volume pump
OIL ALERT	Yes
DIMENSIONS	510 x 385 x 455
DRY WEIGHT (KG)	27
MOUNTING TYPE	Rubber
HOSE BAND/STAINER	Yes
PRICE	\$1,059

[VISIT HONDA POWER EQUIPMENT WEBSITE](#)

For terms and conditions please visit http://about.hondampe.com.au/Terms_and_Conditions

The information in this document is valid as of 08/04/2015. For the most up to date information please visit <http://powerequipment.honda.com.au>