



# POWER YOU NEED, PRICE YOU WANT.

Three speed versatility and power reduces carpet drying times by up to 50%.

# Power you need without breaking the bank.

Rely on the AirMover 3 and WindHandler 3 as your air blowers of choice. If you have wet floors or carpet, rely on the AirMover 3 to dry your facility up to 50 percent faster so you can resume to business-as-usual sooner. This economical unit features three speeds as well as three different vertical standing positions so you can direct air anywhere you need to. The powerful 3,000 cfm air movement promotes rapid drying in no time. Enjoy the convenience that the WindHandler 3 offers in this easily transportable three speed AirMover. Time is king in the cleaning industry. If you have wet hard floors or carpet, rely on the WindHandler 3 to dry your facility up to 50 percent faster so you can resume to business-as-usual sooner. This unit features transport wheels and an upright handle for easy transport from job to job. The powerful 3,000 cfm air movement promotes rapid drying in no time.



## 1 AirMover 3 Meets your needs

- Three speeds of air movement for every type of job
- Maximum air movement of 3,000 cfm for rapid drying of carpeted and hard floors
- Sturdy four point motor mount to withstand heavy use and rough handling
- Built-in carpet clip for flood restoration jobs
- Three different three standing positions to allow air to be directed in any angle

## 2 WindHandler 3 Meets your needs

- Upright handle and transport wheels for added safety and convenience
- Three speeds of air movement for every type of job
- Maximum air movement of 3,000 cfm for rapid drying of carpeted and hard floors
- Sturdy four point motor mount to withstand heavy use and rough handling
- Built-in carpet clip for flood restoration jobs

# Technical Specifications and Order Numbers.

		<b>AIRMOVER 3</b>	<b>WINDHANDLER 3</b>
<b>TECHNICAL SPECIFICATIONS</b>			
<b>Motor</b>	<b>hp</b>	0.5	0.5
<b>Fan wheel</b>	<b>in</b>	9.6 x 9.1	9.6 x 9.1
<b>Speed (high/medium/low)</b>	<b>rpm</b>	1600/1350/1050	1600/1350/1050
<b>Air flow (high/medium/low)</b>	<b>cfm</b>	3000/2500/2000	3000/2500/2000
<b>Power cord</b>	<b>ft</b>	25	25
<b>Electrical system</b>		120 V AC, 60 Hz	120 V AC, 60 Hz
<b>Weight</b>	<b>lbs</b>	33.5	39
<b>Dimensions (L x W x H)</b>	<b>in</b>	20 x 16 x 18.8	22.8 x 16 x 21.5

## EQUIPMENT

<b>Order No.</b>	<b>Description</b>
1.004-027.0	AirMover 3, three speed AirMover
1.004-015.0	Windhandler 3, three-speed commercial air blower with upright handle

Please contact us for more information:

**North America**

4555 Airport Way  
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654  
Fax +1 866 271-0520

**Canada**

6535 Millcreek Drive  
Unit 67  
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233  
Fax +1 905 672-3155

[www.windsorkarchergroup.com](http://www.windsorkarchergroup.com)